## AMENDMENTS TO THE CLAIMS:

Please replace all prior listings of claims with that which appears below, where Claims 3 and 10 have been amended to read as follows:

1. (Original) A silicone resin composition comprising:

100 wt parts of Component (a): an OH-containing polysiloxane;

- 0.1 to 200 wt parts of Component (b): a carbodiimide; and Component (c): an organosilicon crosslinking agent.
- 2. (Original) The composition as claimed in Claim 1 wherein the amount of Component (c) is 0.01 to 50 wt parts to 100 wt parts of Component (a).
- 3. (Currently Amended) The composition as claimed in Claim 1 wherein the OH-containing polysiloxane is a polysiloxane represented by general formula (I):

$$R = \begin{bmatrix} R^{1} \\ | \\ | \\ Si0 \end{bmatrix}_{n} R^{4}$$

$$R^{2}$$

$$(I)$$

the group consisting of H, OH  $\stackrel{\text{constant}}{\text{em}}$  and monovalent hydrocarbon groups optionally substituted with fluorine, in addition,  $R^1s$  and  $R^2s$  attached to different Si atoms may be different groups;  $R^4$  is selected from the group consisting of H  $\stackrel{\text{constant}}{\text{em}}$  and monovalent hydrocarbon groups optionally substituted with fluorine; provided that when  $R^4$  is a monovalent hydrocarbon group optionally substituted with fluorine, at least one of all  $R^1s$  and  $R^2s$  and  $R^3$  is OH; n is selected such that a viscosity at 25°C is within the range of 10 to 10,000,000 cps.

wherein  $R^1$ ,  $R^2$  and  $R^3$  are independently selected from

- 4. (Original) The composition as claimed in Claim 3 wherein the OH-containing polysiloxane is an OH-terminated polysiloxane which is represented by formula (I) in which  $R^1$  and  $R^2$  are H or monovalent hydrocarbon group,  $R^3$  is OH, and  $R^4$  is H.
- 5. (Original) The composition as claimed in Claim 3 wherein the OH-containing polysiloxane is an OH-terminated polydimethylsiloxane which is represented by formula (I) in which  $R^1$  and  $R^2$  are methyl,  $R^3$  is OH, and  $R^4$  is H.

- 6. (Original) The composition as claimed in Claim 1 wherein the carbodiimide is a polycarbodiimide.
- 7. (Original) The composition as claimed in Claim 1 wherein the organosilicon crosslinking agent is a crosslinking agent from which a compound selected from the group consisting of carboxylic acids, alcohols, oximes, amines, amides, aminoxys, ketones, hydrogen molecule and water is eliminated by reaction with an OH group.
- 8. (Original) A silicone resin composition comprising:
- 100 wt parts of Component (a): an OH-containing polysiloxane;
- 0.1 to 200 wt parts of Component (b): a carbodiimide;

Component (d): an amino group-containing silane.

- 9. (Original) The composition as claimed in Claim 8 wherein the amount of Component (d) is 0.01 to 100 wt parts to 100 wt parts of Component (a).
- 10. (Currently Amended) The composition as claimed in Claim 8 wherein the OH-containing polysiloxane is a polysiloxane represented by general formula (I):

$$R = \begin{bmatrix} R^{1} \\ Si0 \end{bmatrix}_{n} R^{4}$$

$$R^{2}$$
(I)

wherein  $R^1$ ,  $R^2$  and  $R^3$  are independently selected from the group consisting of H, OH  $\rightleftharpoons$  and monovalent hydrocarbon groups optionally substituted with fluorine, in addition,  $R^1$ s and  $R^2$ s attached to different Si atoms may be different groups;  $R^4$  is selected from the group consisting of H  $\rightleftharpoons$  and monovalent hydrocarbon groups optionally substituted with fluorine; provided that when  $R^4$  is a monovalent hydrocarbon group optionally substituted with fluorine, at least one of all  $R^1$ s and  $R^2$ s and  $R^3$  is OH; n is selected such that a viscosity at 25°C is within the range of 10 to 10,000,000 cps.

- 11. (Original) The composition as claimed in Claim 10 wherein the OH-containing polysiloxane is an OH-terminated polysiloxane which is represented by formula (I) in which  $R^1$  and  $R^2$  are H or monovalent hydrocarbon group,  $R^3$  is OH, and  $R^4$  is H.
- 12. (Original) The composition as claimed in Claim 10 wherein the OH-containing polysiloxane is an OH-

-5-

terminated polydimethylsiloxane which is represented by formula (I) in which  $R^1$  and  $R^2$  are methyl,  $R^3$  is OH, and  $R^4$  is H.

- 13. (Original) The composition as claimed in Claim 8 wherein the carbodiimide is a polycarbodiimide.
- 14. (Original) The composition as claimed in Claim 8 wherein the amino-containing silane is a silazane or an amino-containing silane coupling agent.
- 15. (Original) A silicone resin cured product prepared by moisture-curing the composition as claimed in Claim 1.
- 16. (Original) A silicone resin cured product prepared by thermally curing the composition as claimed in Claim 8.
- 17. (Original) A multi-pack silicone resin composition set which are stored as two or more divided packs which are mixed before use to give the composition as claimed in Claim 1.